

L Number	Hits	Search Text	DB	Time stamp
63	177	coating same (uniform\$3 with (percent \$3%)) same optic\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 19:30
64	56	coating with uniform\$3 with (percent \$3%) with optic\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 19:30
65	121	((coating same (uniform\$3 with (percent \$3%)) same optic\$2) not (coating with uniform\$3 with (percent \$3%) with optic\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 19:30
96	1	"20020065366"	USPAT; US-PGPUB	2004/09/08 20:20
97	0	(optic2 near2 (fiber\$1 fibre\$1)) with coat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 20:21
98	610	((coat\$3 thick\$4) with (varies variation)) and (coat\$3 with radial\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 20:21
99	24584	(optic\$2 near2 (fiber\$1 fibre\$1)) with coat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 20:21
100	47	((coat\$3 thick\$4) with (varies variation)) and (coat\$3 with radial\$2)) and ((optic\$2 near2 (fiber\$1 fibre\$1)) with coat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 20:21
-	480	(fiber with bragg) and (fiber with (metal\$8))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/06 21:21
-	234	(fiber with bragg) and (fiber with (metal\$8)) and thickness	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/06 21:25
-	60	(fiber with bragg) and ((fiber with (metal\$8)) (coating with metal\$8)) and ((coating metal\$8) near thickness)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/06 21:54
-	1	(fiber with bragg) and ((fiber with (piezoelectric)) (coating with piezoelectric)) and ((coating piezoelectric) near thickness)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/06 21:55
-	4	(fiber with bragg) and ((fiber with (piezoelectric)) (coating with piezoelectric)) and ((coating piezoelectric) near thickness)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/06 21:55
-	2	6246814.URPN.	USPAT	2004/09/06 21:56
-	9	("3942048" "5007705" "5636304" "5671307" "5694501" "5699468" "5718738" "5781670" "5982963").PN.	USPAT	2004/09/06 21:57
-	590	(fiber with (coating with metal\$8)) and ((metal\$8 coating) with (thick micrometer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 17:30

-	437	(fiber with (coating with metal\$8)) and (coating with (thick micrometer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 17:59
-	11	(fiber with (coating with metal\$8)) and (coating with (thick micrometer)) and (bragg grating)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 17:34
-	17	(fiber with (coating with metal\$8)) and (coating with (thick micrometer micron\$1)) and (bragg grating)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 17:52
-	23495	uniformity with thickness	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 17:59
-	28	((fiber with (coating with metal\$8)) and ((metal\$8 coating) with (thick micrometer))) and (uniformity with thickness)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 17:52
-	166588	uniform\$3 with thickness	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 17:59
-	1576	(fiber near3 coat\$3) and (coating with (thick micrometer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 17:59
-	2142	(fiber near3 coat\$3) and (coat\$3 with (thick micrometer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 18:00
-	364	(uniform\$3 with thickness) and ((fiber near3 coat\$3) and (coat\$3 with (thick micrometer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 17:59
-	432	(optical near2 fiber near3 coat\$3) and (coat\$3 with (thick micrometer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 18:04
-	60	(uniform\$3 with thickness) and ((optical near2 fiber near3 coat\$3) and (coat\$3 with (thick micrometer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 18:00
-	54	((uniform\$3 with thickness) and ((optical near2 fiber near3 coat\$3) and (coat\$3 with (thick micrometer)))) not (((fiber with (coating with metal\$8)) and ((metal\$8 coating) with (thick micrometer))) and (uniformity with thickness))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 18:01
-	5853	(uniform\$3 with thickness) with (percent \$3%)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 18:03
-	1	((optical near2 fiber near3 coat\$3) and (coat\$3 with (thick micrometer))) and ((uniform\$3 with thickness) with (percent \$3%))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 18:02

-	0	(uniform\$3 with thickness) with (percent\$3 \$2%) and ((optical near2 fiber near3 coat\$3) and (coat\$3 with (thick micrometer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 18:03
-	2	(optical near2 fiber near3 coat\$3) and (coat\$3 with (thick micrometer micron\$1 ".mm")) and (uniform\$3 with thickness) with (percent\$3 \$3%)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 18:05
-	9	(optical near2 fiber near3 coat\$3) and (coat\$3 with (thick micrometer micron\$1 ".mm")) and uniform\$3 with (percent\$3 \$3%)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 18:08
-	45	(spin adj coat\$3 with (fiber\$1 fibre\$1)) and (optic\$2 near2 (fiber\$1 fibre\$1)) and (coat\$3 with (fiber\$1 fibre\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 18:10
-	1	(spin adj coat\$3 with (fiber\$1 fibre\$1)) and (optic\$2 near2 (fiber\$1 fibre\$1)) and (coat\$3 with (fiber\$1 fibre\$1)) and (uniform\$3 with \$3%)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 18:14